SAMPLE BUDGET FOR BLACKBERRY PRODUCTION UNDER VARIOUS INTEGRATED PEST MANAGEMENT AND MARKETING STRATEGIES, 2022

February 2022

Margarita Velandia, Riley Denton, Omar Aza, Tori Marshall, Alicia Rihn Department of Agricultural and Resource Economics

> David Lockwood and Natalie Bumgarner Department of Plant Sciences

Zachariah Hansen Department of Entomology and Plant Pathology

The objective of this document is to help users understand and navigate the sample blackberry budget created by the University of Tennessee, available at https://bit.ly/3FJxag4. This sample budget was created to guide blackberry producers and those interested in producing blackberries on the factors to consider when estimating their production and marketing costs. Additionally, this sample budget helps users evaluate changes in costs associated with two pest management strategies (i.e., none and



conventional fungicide program), and three marketing strategies (i.e., 100 percent ready picked retail, 50 percent u-pick and 50 percent ready picked retail, 75 percent u-pick and 25 percent ready picked retail).

The sample budget shows examples of blackberry production costs given specific assumptions. Therefore, users should modify numbers to accurately portray their actual farm costs. Every farm is unique; hence, estimated costs will vary depending on soil conditions; blackberry variety; production practices used; and pest, weed and disease pressure; among other factors. Regardless of the variation in costs due to farm and location characteristics, blackberry cash flow will be negative until the crop has matured (Year 3), which means establishment costs will not be recovered until Year 3¹.

¹ Ernst, T., and Woods, T. "2017 Kentucky Blackberry Cost and Return Estimates." ID-149, University of Kentucky College of Agriculture, Food and Environment, Cooperative Extension Service. Available online at https://bit.ly/31PrVfI



Users of the sample budget should note that the input prices used in this document and the Excel budget tool were current as of January 2022 and are subject to change. Input prices were collected from a handful of randomly selected businesses; therefore, users are encouraged to conduct a thorough search when sourcing input suppliers.

Sample Budget Details

This document divides the production of blackberries into three time horizons: pre-planting, planting and fruiting. A detailed description of the activities involved in each timeline is given below. The document further discusses the details of fertilizer, fungicide and insecticide applications, as well as information pertaining to irrigation, labor, machinery, equipment, harvest and post-harvest activities, and marketing.

Pre-planting (Year 1)

The examples presented in this sample budget are based on 1 acre of blackberries. It is assumed all preparation activities will happen in Year 1 to allow at least six months to a year for the soil to reach ideal conditions for blackberry production. For soil preparation and weed destruction, a disk harrow and 1-shank subsoiler are assumed to be used. The use of herbicide might also be necessary to destroy weeds. Following the 2021 Southeast Regional Caneberries Integrated Management Guide², we assume glyphosate would be used to destroy weeds. Although we assumed 2 quarts per acre of glyphosate at \$10.7 per quart¹, you should read the label for the application rate. A 100 gallon 3-point hitch boom sprayer pulled by a 50 hp mechanical frontwheel drive tractor will be used to apply the glyphosate. Whether the sprayer is a tractor mounted or slides in the bed of an ATV, the vehicle must be capable of maintaining a uniform ground speed over uneven terrain and a uniform pump speed. Without this, it would be impossible to calibrate the sprayer for precise application. Backpack and handheld pump-up sprayers are often used by small growers, but they cannot be calibrated accurately. Soil tests are necessary for Year 1, as the results from these tests will guide producers on the requirements to adjust soil fertility conditions. Soil tests are budgeted at \$15 per soil test, and we assumed two soil tests per acre. In Year 1, we assumed a soil probe would be purchased at \$108. Hand labor associated with soil tests is estimated at 0.6 hours per acre. Fertilizer application along with fungicides and insecticides are discussed in more detail below.

We allocated one hour per acre to mark the rows where blackberry plants will be planted¹. We assumed grass would be planted between rows to support equipment used between rows and avoid soil erosion. We assumed 10 lbs per acre of tall fescue grass seed at \$1.89 per lb would be planted in between rows in Year 1. We estimated the grass seed price by averaging grass seed prices obtained from various input suppliers in January 2022.

Planting (Year 2)

We assumed grass between rows would be mowed before planting blackberry transplants with a rotary cutter. We allocated about 2.2 operator labor hours per acre distributed across the planting

 $^{^2}$ 2021 Southeast Regional Caneberries Integrated Management Guide. Available online at <code>https://bit.ly/3DJTZyd</code>

year to complete this task³. Additionally, we assumed glyphosate would be used to destroy weeds before planting. Although we assumed 1 quart per acre of glyphosate at \$10.7 per quart⁴, you should read the label for the application rate.

When determining row and plant spacing, it is important to remember that these decisions will determine the number of plants per acre. For the budget, a 12-foot space between rows and a 3-foot space between blackberry plants is assumed. If you are growing more than one variety, it would be appropriate to use the same space between rows and plants regardless of the varieties grown for management purposes. If there is variation in space between rows and plants, mowing and other activities that require specific equipment sizes may become more complicated or laborious.

We assumed the blackberry varieties grown are Natchez and Ouachita. Natchez is a semi-erect thornless variety, while Oachita is an erect thornless variety. These two varieties are high-yielding, high-quality, and are great for commercial and local markets⁵. The harvesting period for both varieties is June to August, but Natchez ripens about a week earlier (around June 3) than Ouashita⁶. Exact harvesting times will vary from year to year and by the location of the operation. There are no differences in management strategies between the varieties as trellis systems are recommended for both varieties. There are benefits of combining these varieties because Natchez is more sensitive to freezing temperatures than Oachita, and therefore combining the two varieties might help to manage weather risks. Additionally, combining varieties may create additional marketing opportunities as it extends the marketing season.

When assuming a 3-foot-by-12-foot spacing (i.e., plant space times row space), 1,210 plants at \$4.11 each are transplanted. Blackberry plant prices are estimated by taking the average of plant prices from nurseries in Indiana and Arkansas. We assumed transplanting happens in early spring (March) of Year 2. The 1,210-plant density is appropriate for u-pick operations. We allocated 36 labor hours for transplanting blackberry plants into the field⁷. Canes produced from the blackberry plants in Year 2 (primocanes) will not bear fruit.

For cane support and to keep the fruit off the ground, a wood T-trellis system is assumed to be used. Trellis systems are useful in maximizing sunlight exposure, air movement and spray penetration throughout the canopy. Additionally, trellis systems can facilitate planting management or make harvesting and floricane removal easier. In general, using trellis systems can maximize yield and minimize labor use. Although we assumed a wood T-trellis system for this budget, there are various trellis systems options⁸. When choosing a trellis system for your

³ Mississippi State University, 2010 Fruit and Nut Planning Budgets. Available online at https://bit.ly/3mhUPfT

⁴ Ernst, T., and Woods, T. "2017 Kentucky Blackberry Cost and Return Estimates." ID-149, University of Kentucky College of Agriculture, Food and Environment, Cooperative Extension Service. Available online at https://bit.ly/31PrVfl

⁵ University of Arkansas. Blackberry variety information. Available online at https://bit.ly/3EIWnGS

⁶ Carroll, B. "Commercial Blackberry Production."HL-6239, Oklahoma State University, Oklahoma Cooperative Extension Service. Available online at https://bit.ly/3ERTqE0

⁷ North Carolina State University. "Blackeberru Budget Program 2011". Available online at https://bit.ly/3GZZ0VI

⁸ North Carolina State University. "Trellis Systems." Available online at https://bit.ly/30FCfqj.

operation, it is important to consider construction and material costs, availability of trained labor, and climate considerations (e.g., risk of blackberry cold injury).

It is important to construct trellises before the first harvest season. The post should be placed before planting to not disturb the plants, but wires could be installed after planting. We assumed 8-foot wood posts would be used for the trellis system, set 30 feet apart within a row⁹. We assumed rows would not be longer than 400 feet to help with harvesting efficiency and make trellis system repair easier. If we assumed 134 plants per row and nine rows, there would be approximately 13 posts per row, for a total of about 118 posts per acre at \$19.6 per post. We assumed an auger would be used to make holes for post placement. A piece of 2-by-4-inch pressure-treated wood is assumed to be used for cross arms. We assumed two 8,700-ft, 12.5 gauge high-tensile wire rolls would be used for the trellis system. Other trellis hardware (e.g., anchors) is estimated at \$288 per acre¹⁰.

A total of 155 labor hours are assumed during Year 2 or planting year. As previously mentioned, 36 hours are allocated to transplanting. Trellis construction consists of 45 hand labor hours. Labor associated with hoeing for weed management in Year 2 is estimated at 65 labor hours and labor hours associated with irrigation are estimated at 0.35 labor hours distributed across the planting year¹⁰. We assumed five labor hours per acre would be assigned to tipping. Tipping is usually done in late June and July.

We assumed soft tipping (i.e., removal of the shoot tip when it is of a small diameter and easily pinched by hand) would be done during the planting year to allow for lateral branches to grow and increase fruit yield¹¹. Several trips through the planting should be made for tipping, given that primocanes growth happens at different times during the summer and grow at different rates.

Planting (Years 3 to 8)

After the planting year, a blackberry plant will have primocanes and floricanes (canes that produce fruit). Primocanes should be pruned. Floricanes should be removed (i.e., cane removal) from the planting after harvesting. Cane removal after harvesting is important to reduce disease carryover in the planting. Additionally, cutting off floricanes to the ground level is important for new primocanes to develop from buds on healthy tissue at or below the soil line¹¹. We allocated 7 hours per acre per year for summer pruning and 20 hours per acre per year for cane removal in Years 3 to 8.

We assumed grass between rows would be mowed with a rotary cutter. We allocated approximately 2.3 operator labor hours per acre per year for Years 3 to 8 to complete this task.

Labor associated with hoeing for weed management in Years 3 to 8 is estimated at 33 labor hours per year, and labor hours associated with irrigation are estimated at 0.35 labor hours per year.

 ⁹ North Carolina State University. "Trellis Systems." Available online at https://bit.ly/30FCfqj.
 ¹⁰ Ernst, T., and Woods, T. "2017 Kentucky Blackberry Cost and Return Estimates." ID-149, University of Kentucky College of Agriculture, Food and Environment, Cooperative Extension Service. Available online at https://bit.ly/31PrVfl

¹¹ Lockwood, D. Pruning and Training Caneberries (Blackberries and Raspberries), SP 284-G. UT Extension. Available online at https://bit.ly/3mD88Yh

Fertilizer, Fungicides and Insecticides

This section of the document discusses fertilizer application for all three time horizons: preplanting, planting and fruiting.

For the pre-planting year (Year 1), it is assumed 800 lbs per acre of 15-15-15 fertilizer at \$0.41 per lb are applied. This fertilizer cost serves only as a reference for fertilizer applications as P (phosphorous) and K (potassium) needs will be determined by the soil test results and will likely vary greatly from farm to farm.

For the planting year (Year 2), we assumed 40 units of nitrogen (40/0.46=87 lbs of urea) per acre would be applied. Half of those units (50 percent) would be applied three weeks to a month after planting, then another 25 percent 6 to 8 weeks after the last application, and the remaining 25 percent 6 to 8 weeks after the last application. For the fruiting years (Year 3 to 8), we assumed 60 units of nitrogen (60/0.46 = 130 lbs of urea) would be applied. Half of those units (50 percent) would be applied at early bloom, and then the other half would be applied in late July or early August. Ideally, urea should be applied through fertigation for more accuracy. In this budget, we are assuming urea would be applied with a side spreader, but it is important to acknowledge that urea has a problem with volatility. Therefore, it is important to remember that if rain is not forecasted or there is no irrigation, a percentage of the applied urea will be lost.

The intensiveness of pest and disease management in blackberry fields can vary widely due to several factors, including variety selection, cultural practices, location, and pest and disease pressures. In situations with minimal pest and disease pressure and/or where cultural practices are followed to minimize impacts from pests and diseases, blackberries may be produced with minimal pesticide inputs. However, where pest and disease pressure are high, a regular spray program may be necessary. The sample budget provides two pest management scenarios: (1) no fungicide inputs are applied, and (2) a conventional fungicide program is followed. Captan is included in all sprays as a broad-spectrum tank-mix partner for fungicide resistance management and to increase the breadth of diseases covered. Pristine, Quilt Xcel and Luna Tranquility are included as representative examples of fungicides used to manage common blackberry diseases, including anthracnose, cane blight, powdery mildew, rusts, leaf spots, Botrytis and rosette. Several other fungicide options are available and can be found in the most recent version of the Southeast Regional Caneberry Integrated Management Guide¹².

	Iouciate Discuse I ressure II	the optay beneated
Spray #	Target Month Application	Input products applied
1	April	Pristine + Captan
2	May	Quilt Xcel + Captan
3	June	Luna Tranquility + Captan
4	July	Quilt Xcel + Captan

 Table 1. Moderate Disease Pressure IPM Spray Schedules

* Pristine can only be tank-mixed with Captan for blackberry applications and cannot be tankmixed with any other active ingredient. See label for details.

 $^{^{12}}$ 2021 Southeast Regional Caneberries Integrated Management Guide. Available online at <code>https://bit.ly/3DJTZyd</code>

	Label Rate Range	Application Rate	Price per application unit
Pristine	18.5 - 23 oz	21 oz	\$0.81/oz
Captan	2.5 lb	2.5 lb	\$6.74/lb
Luna Tranquility	13.6 - 27 fl oz	20 fl oz	\$3.25/fl oz
Quilt Xcel	14 - 21 fl oz	17.5 fl oz	\$1.25/fl oz

Table 2. Moderate Disease Pressure IPM Application Rates per acre and Chemicals' Prices

Growers should also scout for spotted wing drosophila (SWD) and treat as needed. If SWD is not present, insecticides do not need to be applied for it. However, if SWD is present, then growers should spray a labeled insecticide beginning two weeks prior to harvest and continuing with weekly sprays through the end of harvest. Growers should consult the most recent version of the Southeast Regional Caneberry Integrated Management Guide¹³ for an updated list of insecticides labeled for SWD management, as well as management recommendations for other common insect pests.

Machinery and Equipment

We assumed one tractor (i.e., a 50 horsepower four-wheel-drive tractor) would be used to perform all activities associated with blackberry production. In Table 3, we show estimated direct (e.g., repair and maintenance, fuel, and labor costs) and fixed costs associated with all implements, including the tractor's fixed cost, used for blackberry production in this sample budget. Fixed machinery costs associated with the tractor and implements were calculated using the Mississippi State Budget Generator (version 6.0).

Blackberry production costs include an annual fixed cost of \$1,100 per acre per year associated with an 8-by-8-by-8-foot cooling unit used to maintain berry quality and enhance shelf life. This assumption is based on total purchase, installation and maintenance costs of \$7,700¹⁴. Although we assumed all cooling system costs are assigned to the blackberry enterprise, it is important to acknowledge the costs of the system could be allocated to other fruits and vegetables needing refrigeration and being grown outside of the blackberry harvest window. Additionally, there might be smaller cooling systems that are a good fit for blackberry production and can result in cooling system cost savings.

¹³ 2021 Southeast Regional Caneberries Integrated Management Guide. Available online at https://bit.ly/3DJTZyd

¹⁴ Ernst, T., and Woods, T. "2017 Kentucky Blackberry Cost and Return Estimates." ID-149, University of Kentucky College of Agriculture, Food and Environment, Cooperative Extension Service. Available online at https://bit.ly/31PrVfl

Sample Budget for Blackberry Production

	Direct Costs	Fixed Costs
Auger	\$54.04	\$12.08
Disk Harrow	\$9.12	\$2.35
Grain drill	\$12.56	\$5.71
Rotary Cutter	\$15.88	\$4.52
Side Dresser	\$24.97	\$13.83
Sprayer — Air Blast	\$16.69	\$16.11
Sprayer — Boom	\$2.78	\$0.68
Sub-Soiler (1 shank)	\$29.29	\$7.29

Table 3. Machinery and Equipment Costs per acre used for Blackberry Production.

Source: Mississippi State University Budget Generator

Labor and Fuel

Hand labor was estimated at the 2022 US Department of Labor Tennessee Adverse Effect Wage Rate of \$13.89¹⁵. Operator labor was estimated at \$17.42/hour based on the 2020 US Department of Labor estimates for Tennessee. Diesel prices were estimated at \$2.88 per gallon. Hand labor is associated with soil testing, irrigation check activities, planting, hoeing, pruning, cane removal and harvesting.

Irrigation

We assumed a trickle irrigation system is used. The establishment cost of the irrigation systems is estimated at \$1,327. The annual variable costs of irrigation are estimated at \$248, but they might fluctuate greatly due to water availability and cost¹⁶. Trickle irrigation systems are preferred over overhead irrigation systems because the water is applied to the soil and does not contact leaves or fruit, which could aggravate disease issues. In general, trickle irrigation systems use less water and require a lower pump capacity than overhead systems.

Capital

The interest on operating capital was calculated annually at a rate of 4 percent. Operating interest is assumed to be charged on half of all variable expenses.

Harvest and Post-harvest

We assumed that no crops would be harvested in Years 1 and 2. We assumed plantings would initiate producing yield in Year 3. We assumed in Year 3, blackberry plants would produce 60 percent of the maximum anticipated yield at crop maturity. We assumed the maximum anticipated yield at crop maturity would happen in Year 4 and would be 5,000 quarts per acre or about 4 quarts per plant (Table 4). The yield would likely vary depending on farm and location characteristics, as well as production practices used. It can exceed the assumed 5,000 quarts per acre or acre if appropriate production practices are followed.

¹⁵ https://www.dol.gov/agencies/eta/foreign-labor/wages/adverse-effect-wage-rates

¹⁶ Ernst, T., and Woods, T. "2017 Kentucky Blackberry Cost and Return Estimates." ID-149, University of Kentucky College of Agriculture, Food and Environment, Cooperative Extension Service. Available online at https://bit.ly/31PrVfl

Production Year	qt/acre	% of full production
0	0	0%
1	0	0%
2	3,000	60%
3	5,000	100%
4	5,000	100%
5	5,000	100%
6	5,000	100%
7	5,000	100%

We assumed that harvested berries are sorted into 1-quart plastic clamshells at a cost of \$0.15 per plastic container. We assumed the estimated harvest rate for picking blackberries is 30 quarts per hour. Therefore, we assumed 100 and 165 hours are designated for harvesting activities in Years 3, and 4 to 8, respectively. It is assumed that six to 10 pickers are needed to harvest 1 acre of blackberries¹⁷.

Operating costs associated with the refrigeration of blackberries to maintain berry quality and enhance shelf life is estimated at \$36.60 per acre per year.

Marketing

In this sample budget, we assumed the blackberries would be marketed through farmers markets, on-farm, roadside stands and/or pick-your-own (PYO). The choice of marketing strategies would depend on various factors, including farm location that would determine the distance to customers and markets and labor and time availability for marketing activities. The advantage of marketing blackberries using a PYO strategy is the labor savings associated with reducing harvesting activities. When blackberries are marketed through PYO, it is important to still have some labor available to harvest blackberries in the parts of the field that are not harvested by the customers. It is important for spotted wing drosophila (SWD) control not to have overripe berries in the field. For u-picked operations, between 300 and 450 customers are needed to harvest 1 acre of blackberries, with semi-erect varieties requiring the highest amount of customers for harvesting¹⁷.

There are other considerations and costs associated with using a PYO marketing strategy, including adequate parking area, restroom facilities, convenient and safe access, and adequate liability insurance.

Marketing costs were estimated at 10 percent of gross revenue. Gross revenue would depend on marketing strategies. We assumed blackberries would be sold at \$5 per quart for PYO

¹⁷ Kaiser, C., and M. Ernst. 2018. "Blackberries." Center for Crop Diversification, University of Kentucky. Available online at https://bit.ly/3sMKgFK

blackberries and \$7 per quart for already-picked blackberries sold on-farm, via roadside stands or at farmers markets.

Excel Sample Budget

The blackberry sample budget Excel tool is available on the Department of Agricultural and Resource Economics website at https://bit.ly/3FJxag4. You can see a list of all available spreadsheets by clicking the mouse right-click button on the arrow pointing to the right on the bottom left corner of any spreadsheet (see figure below).



In this Excel tool, users can select different scenarios associated with pest management strategies and marketing strategies in the "General Assumptions" spreadsheet:

- 1. You can select one of two pest management scenarios: None and Conventional Fungicide Program. The "None" scenario assumes there will be no disease control (see Tables 1 and 2 above).
- You can select three strategies to market your blackberries: 1) 100 percent retail (e.g., onfarm or at farmers markets); 2) 50 percent pick-your-own (PYO) AND 50 percent ready picked to be marketed on-farm, roadside stands or at farmers markets; 3) 75 percent pickyour-own (PYO) AND 25 percent ready picked to be marketed on-farm, roadside stands or at farmers markets.

In the "Labor, Fuel and Interest" spreadsheet, you can change assumptions related to operator, hand labor and fuel cost, as well as the interest rate.

In the "Yield" spreadsheet, you can change assumptions related to yield in Years 3 to 8.

In the "Blackberry Prices" spreadsheet, you can change assumptions related to u-picked and ready-picked (e.g., on-farm and farmers markets) blackberry prices.

If quantities and details of the "Labor, Fuel and Interest," "Yield" and "Blackberry Prices" spreadsheets are modified, original values can be restored when clicking on the "Default" button on the right of each of these spreadsheets. The "Intro" button allows you to return to the introductory page.

After making your pest management, marketing strategies, labor, fuel, interest, yield and price selections, you can evaluate the overall changes in costs and changes in costs per year in the "Summary Budget" spreadsheet. The "Print" button on this spreadsheet allows the user to print this one-page summary. The "Intro" button allows you to return to the introductory page. On the "Summary Budget" spreadsheet, you can click on the first row of the table "Year X" to see the detailed budget for each year.

The "Blackberry Budget YX" spreadsheets will provide details about costs of production for Year 1 to Year 8. In these spreadsheets, you will be able to change a few operating/durable input costs (highlighted in gray). These spreadsheets contain detailed information about the budget estimations, including machinery and implements fixed and variable costs, and are designed for those users that would like to better understand budget estimations. The "Year X Budget Summary" button will allow you to go to the summary budget for each year (i.e., "Summary YX"). The "Summary YX" spreadsheets will provide a summary budget for each year. These summary spreadsheets are appropriate for users who are interested in estimating overall costs per year, but are not interested in the specific details behind the estimations. In these spreadsheets, you will be able to change a few operating/durable input costs (highlighted in gray) and use the individual year budgets function to evaluate your own production costs per year. The "Summary Budget" spreadsheet will not reflect user changes in the "Summary YX" spreadsheet because the summary budget cost categories do not match each year's budget summary cost categories. You will be able to print each year's budget "Summary XY" using the print button. If quantities and details of the sample budget are modified, original values can be restored when clicking on the "Default" button on the bottom right of the "Blackberry Budget YX" and "Summary YX" spreadsheets.

Examples of Costs Associated with Various Marketing and Pest Management Strategies

Using the excel sample blackberry budget, we estimated costs associated with two pest management strategy scenarios (i.e., none and conventional fungicide program) and one marketing strategy (i.e., 100 percent ready picked blackberries to be marketed through farmers markets, roadside stands or on-farm). As you can see in Tables 5 and 6, in Year 2, the largest expenses are those associated with blackberry plants and the construction of the trellis system. In Years 3 to 8, the largest expenses are those associated with harvesting and post-harvesting activities (i.e., post-harvesting costs include marketing costs). The difference in costs associated with the two pest management scenarios is about \$1,800 per acre. Costs associated with fungicides represented 2.7 percent of total costs for Years 3 to 8.

We also evaluated two different marketing strategies using the excel sample blackberry budget: 1) 100 percent retail (e.g., on-farm or at farmers markets); and 2) 50 percent pick-your-own (PYO) AND 50 percent ready picked to be marketed on-farm, roadside stands or at farmers markets. We assume a conventional fungicide program pest management strategy in both marketing scenarios. As you can see in Tables 7 and 8, when switching from the 100 percent retail scenario to the 50 percent PYO-50 percent retail scenario, harvesting costs go from representing about 27 percent to 32 percent of total costs to representing about 16 percent to 20 percent of total costs. Regardless of pest management and marketing strategy used, planting, construction of trellis system, harvesting and post-harvesting costs are the largest expenses associated with blackberry production.

Sample Budget for Blackberry Production

Tables 5 and 6. Estimated Costs for 100% Ready	/ Picked Blackberry Retail	l, No Fungicide Application	(Table on top),	Conventional
Fungicide Program (Table on the bottom).				

	Year 1	%	Year 2	%	Year 3	%	Year 4	%	Year 5	%	Year 6	%	Year 7	%	Year 8	%	Total	%
Mark Rows	\$ 13.89	2.3%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 13.89	0.0%
Planting	\$-	0.0%	\$ 5,473.14	47.7%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$ 5,473.14	8.5%
Tipping/Prune/Remove Canes	\$-	0.0%	\$ 69.45	0.6%	\$ 375.03	5.7%	\$ 375.03	4.1%	\$ 375.03	4.1%	\$ 375.03	4.1%	\$ 375.03	4.1%	\$ 375.03	4.1%	\$ 2,319.63	3.6%
Disk	\$ 11.03	1.9%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 11.03	0.0%
Subsoiler	\$ 8.79	1.5%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$ 8.79	0.0%
Fertilizer	\$345.78	58.5%	\$ 90.59	0.8%	\$ 88.66	1.4%	\$ 88.66	1.0%	\$ 88.66	1.0%	\$ 88.66	1.0%	\$ 88.66	1.0%	\$ 88.66	1.0%	\$ 968.35	1.5%
Weed Spray	\$ 24.72	4.2%	\$ 12.36	0.1%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 37.09	0.1%
Disease Management	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%
Construct Trellis	\$ -	0.0%	\$ 4,057.65	35.4%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 4,057.65	6.3%
Hoeing	\$ -	0.0%	\$ 902.85	7.9%	\$ 458.37	7.0%	\$ 458.37	5.0%	\$ 458.37	5.0%	\$ 458.37	5.0%	\$ 458.37	5.0%	\$ 458.37	5.0%	\$ 3,653.07	5.7%
Soil Testing	\$131.06	22.2%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 131.06	0.2%
Mowing	\$ -	0.0%	\$ 78.56	0.7%	\$ 78.56	1.2%	\$ 78.56	0.9%	\$ 78.56	0.9%	\$ 78.56	0.9%	\$ 78.56	0.9%	\$ 78.56	0.9%	\$ 549.93	0.9%
Seed Grass	\$ 39.15	6.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 39.15	0.1%
Irrigation	\$ -	0.0%	\$ 443.60	3.9%	\$ 443.60	6.8%	\$ 443.60	4.8%	\$ 443.60	4.8%	\$ 443.60	4.8%	\$ 443.60	4.8%	\$ 443.60	4.8%	\$ 3,105.18	4.8%
Harvest	\$ -	0.0%	\$-	0.0%	\$1,836.42	28.0%	\$3,037.54	33.2%	\$3,037.54	33.2%	\$3,037.54	33.2%	\$3,037.54	33.2%	\$3,037.54	33.2%	\$17,024.14	26.4%
Post-harvest	\$ -	0.0%	\$-	0.0%	\$3,236.60	49.4%	\$4,636.60	50.6%	\$4,636.60	50.6%	\$4,636.60	50.6%	\$4,636.60	50.6%	\$4,636.60	50.6%	\$26,419.60	41.0%
Financial	\$ 16.65	2.8%	\$ 340.42	3.0%	\$ 38.21	0.6%	\$ 38.21	0.4%	\$ 38.21	0.4%	\$ 38.21	0.4%	\$ 38.21	0.4%	\$ 38.21	0.4%	\$ 586.31	0.9%
Total Costs	\$591.07	100.0%	\$11,468.62	100.0%	\$6,555.44	100.0%	\$9,156.57	100.0%	\$9,156.57	100.0%	\$9,156.57	100.0%	\$9,156.57	100.0%	\$9,156.57	100.0%	\$64,398.00	100.0%

	Year 1	%	Year 2	%	Year 3	%	Year 4	%	Year 5	%	Year 6	%	Year 7	%	Year 8	%	Total	%
Mark Rows	\$ 13.89	2.3%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ 13.89	0.0%
Planting	\$-	0.0%	\$ 5,473.14	46.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 5,473.14	8.3%
Tipping/Prune/Remove Canes	\$-	0.0%	\$ 69.45	0.6%	\$ 375.03	5.5%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 2,319.63	3.5%
Disk	\$ 11.03	1.9%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 11.03	0.0%
Subsoiler	\$ 8.79	1.5%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 8.79	0.0%
Fertilizer	\$345.78	58.5%	\$ 90.59	0.8%	\$ 88.66	1.3%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 968.35	1.5%
Weed Spray	\$ 24.72	4.2%	\$ 12.36	0.1%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 37.09	0.1%
Disease Management	\$-	0.0%	\$ 257.87	2.2%	\$ 257.87	3.8%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 1,805.12	2.7%
Construct Trellis	\$ -	0.0%	\$ 4,057.65	34.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 4,057.65	6.1%
Hoeing	\$-	0.0%	\$ 902.85	7.7%	\$ 458.37	6.7%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 3,653.07	5.5%
Soil Testing	\$131.06	22.2%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 131.06	0.2%
Mowing	\$-	0.0%	\$ 78.56	0.7%	\$ 78.56	1.2%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 549.93	0.8%
Seed Grass	\$ 39.15	6.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 39.15	0.1%
Irrigation	\$ -	0.0%	\$ 443.60	3.8%	\$ 443.60	6.5%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 3,105.18	4.7%
Harvest	\$-	0.0%	\$-	0.0%	\$ 1,836.42	26.9%	\$3,037.54	32.2%	\$ 3,037.54	32.2%	\$3,037.54	32.2%	\$3,037.54	32.2%	\$3,037.54	32.2%	\$17,024.14	25.7%
Post-harvest	\$ -	0.0%	\$-	0.0%	\$ 3,236.60	47.5%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$26,419.60	39.9%
Financial	\$ 16.65	2.8%	\$ 347.47	3.0%	\$ 45.26	0.7%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 635.67	1.0%
Total Costs	\$591.07	100.0%	\$11,733.55	100.0%	\$6,820.37	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$66,252.49	100.0%

Table 7 and 8. Estimated Costs for 100% Ready Picked Blackberry Retail (Table on top) and 50% PYO and 50% Ready Picked BlackberryRetail (Table on the bottom).

	Year 1	%	Year 2	%	Year 3	%	Year 4	%	Year 5	%	Year 6	%	Year 7	%	Year 8	%	Total	%
Mark Rows	\$ 13.89	2.3%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ -	0.0%	\$ 13.89	0.0%
Planting	\$-	0.0%	\$ 5,473.14	46.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 5,473.14	8.3%
Tipping/Prune/Remove Canes	\$-	0.0%	\$ 69.45	0.6%	\$ 375.03	5.5%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 375.03	4.0%	\$ 2,319.63	3.5%
Disk	\$ 11.03	1.9%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 11.03	0.0%
Subsoiler	\$ 8.79	1.5%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 8.79	0.0%
Fertilizer	\$345.78	58.5%	\$ 90.59	0.8%	\$ 88.66	1.3%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 88.66	0.9%	\$ 968.35	1.5%
Weed Spray	\$ 24.72	4.2%	\$ 12.36	0.1%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$ 37.09	0.1%
Disease Management	\$ -	0.0%	\$ 257.87	2.2%	\$ 257.87	3.8%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 257.87	2.7%	\$ 1,805.12	2.7%
Construct Trellis	\$ -	0.0%	\$ 4,057.65	34.6%	\$-	0.0%	\$ -	0.0%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$ 4,057.65	6.1%
Hoeing	\$-	0.0%	\$ 902.85	7.7%	\$ 458.37	6.7%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 458.37	4.9%	\$ 3,653.07	5.5%
Soil Testing	\$131.06	22.2%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 131.06	0.2%
Mowing	\$ -	0.0%	\$ 78.56	0.7%	\$ 78.56	1.2%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 78.56	0.8%	\$ 549.93	0.8%
Seed Grass	\$ 39.15	6.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$ 39.15	0.1%
Irrigation	\$ -	0.0%	\$ 443.60	3.8%	\$ 443.60	6.5%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 443.60	4.7%	\$ 3,105.18	4.7%
Harvest	\$ -	0.0%	\$-	0.0%	\$1,836.42	26.9%	\$3,037.54	32.2%	\$ 3,037.54	32.2%	\$3,037.54	32.2%	\$3,037.54	32.2%	\$3,037.54	32.2%	\$17,024.14	25.7%
Post-harvest	\$ -	0.0%	\$-	0.0%	\$3,236.60	47.5%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$4,636.60	49.2%	\$26,419.60	39.9%
Financial	\$ 16.65	2.8%	\$ 347.47	3.0%	\$ 45.26	0.7%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 45.26	0.5%	\$ 635.67	1.0%
Total Costs	\$591.07	100.0%	\$11,733.55	100.0%	\$6,820.37	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$9,421.50	100.0%	\$66,252.49	100.0%

	Year 1	%	Year 2	%	Year 3	%	Year 4	%	Year 5	%	Year 6	%	Year 7	%	Year 8	%	Total	%
Mark Rows	\$ 13.89	2.3%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 13.89	0.0%
Planting	\$ -	0.0%	\$ 5,473.14	46.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 5,473.14	10.0%
Tipping/Prune/Remove Canes	\$-	0.0%	\$ 69.45	0.6%	\$ 375.03	6.7%	\$ 375.03	5.1%	\$ 375.03	5.1%	\$ 375.03	5.1%	\$ 375.03	5.1%	\$ 375.03	5.1%	\$ 2,319.63	4.2%
Disk	\$ 11.03	1.9%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 11.03	0.0%
Subsoiler	\$ 8.79	1.5%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 8.79	0.0%
Fertilizer	\$345.78	58.5%	\$ 90.59	0.8%	\$ 88.66	1.6%	\$ 88.66	1.2%	\$ 88.66	1.2%	\$ 88.66	1.2%	\$ 88.66	1.2%	\$ 88.66	1.2%	\$ 968.35	1.8%
Weed Spray	\$ 24.72	4.2%	\$ 12.36	0.1%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$ 37.09	0.1%
Disease Management	\$ -	0.0%	\$ 257.87	2.2%	\$ 257.87	4.6%	\$ 257.87	3.5%	\$ 257.87	3.5%	\$ 257.87	3.5%	\$ 257.87	3.5%	\$ 257.87	3.5%	\$ 1,805.12	3.3%
Construct Trellis	\$ -	0.0%	\$ 4,057.65	34.6%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 4,057.65	7.4%
Hoeing	\$ -	0.0%	\$ 902.85	7.7%	\$ 458.37	8.2%	\$ 458.37	6.2%	\$ 458.37	6.2%	\$ 458.37	6.2%	\$ 458.37	6.2%	\$ 458.37	6.2%	\$ 3,653.07	6.6%
Soil Testing	\$131.06	22.2%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$ -	0.0%	\$ -	0.0%	\$ 131.06	0.2%
Mowing	\$ -	0.0%	\$ 78.56	0.7%	\$ 78.56	1.4%	\$ 78.56	1.1%	\$ 78.56	1.1%	\$ 78.56	1.1%	\$ 78.56	1.1%	\$ 78.56	1.1%	\$ 549.93	1.0%
Seed Grass	\$ 39.15	6.6%	\$ -	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$-	0.0%	\$ 39.15	0.1%
Irrigation	\$ -	0.0%	\$ 443.60	3.8%	\$ 443.60	7.9%	\$ 443.60	6.0%	\$ 443.60	6.0%	\$ 443.60	6.0%	\$ 443.60	6.0%	\$ 443.60	6.0%	\$ 3,105.18	5.7%
Harvest	\$ -	0.0%	\$-	0.0%	\$ 918.21	16.4%	\$1,518.77	20.5%	\$ 1,518.77	20.5%	\$ 1,518.77	20.5%	\$1,518.77	20.5%	\$1,518.77	20.5%	\$ 8,512.07	15.5%
Post-harvest	\$-	0.0%	\$-	0.0%	\$ 2,935.85	52.4%	\$4,135.35	55.9%	\$4,135.35	55.9%	\$4,135.35	55.9%	\$4,135.35	55.9%	\$4,135.35	55.9%	\$23,612.60	43.0%
Financial	\$ 16.65	2.8%	\$ 347.47	3.0%	\$ 45.26	0.8%	\$ 45.26	0.6%	\$ 45.26	0.6%	\$ 45.26	0.6%	\$ 45.26	0.6%	\$ 45.26	0.6%	\$ 635.67	1.2%
Total Costs	\$591.07	100.0%	\$11,733.55	100.0%	\$5,601.41	100.0%	\$7,401.48	100.0%	\$7,401.48	100.0%	\$7,401.48	100.0%	\$7,401.48	100.0%	\$7,401.48	100.0%	\$54,933.42	100.0%

Sample Budget for Blackberry Production



UTIA.TENNESSEE.EDU

D 154 02/22 Programs in agriculture and natural resources, 4-H youth development, family and consumer sciences, and resource development. University of Tennessee Institute of Agriculture, U.S. Department of Agriculture and county governments cooperating. UT Extension provides equal opportunities in programs and employment.